

BUILT FOR THE LONG HAUL



Citi Van Ford



Rugged & Durable

- The Citi Van offers unmatched durability and maximized performance. Its rugged, watertight construction features superior building materials assembled using consistent manufacturing methods to deliver the highest quality.
- Choose from standard aluminum wall construction or Fiberglass Reinforced Plywood (FRP) option.
- Industry leading 5-year limited warranty ensures that your Citi Van will provide a long-lasting, quality performance.



ABC Advantage	Citi Van	Competition
2" Rivet Spacing on End Panels	STANDARD	Not Available
Two Grab Handles	STANDARD	Option
Undercoated Body	STANDARD	Option
Recessed Tail Lights	STANDARD	Option
2" Roll-up Door Roller	STANDARD	Option

Citi Van Ford

Options:

- Fiberglass Reinforced Plywood (FRP) (Plywood lining is not required on FRP bodies)
- 3/4" White composite floor (Single rear wheel models only)
- 1 1/8" Laminated hardwood floor
- 2 Panel full opening rear doors
- One piece translucent roof
- Side cargo door with step
- Low mount wheel wells
- Custom widths available
- Cargo control devices
- Aluminum walk ramps
- Scuff plates
- Liftgates
- Insulation
- Bumpers
- Cabovers

**Rugged Durability matched with Quality Components...
Citi Van meets all of your delivery needs**



Rear roll-up door with 2" door roller and two aluminum grab handles and 3/4 step bumper with recessed tail lights.

Galvanized steel rear frame and complete body undercoating.

Body available in lengths of 10', 12', 14', 15', 16' & 17'.

3" cross-members on 16" centers and 4" I-beam longitudinal body rails.

Z-shaped side posts on 16" centers and 3/16" solid rivets on 2" centers at seams.

4" Centers at intermediate posts.

1 1/8" Dense pine floor.

Cab setback for full seat travel.



5" extruded aluminum front corner posts and 12" diamond plate aluminum aerodynamic radius front.

.040 aluminum, pre-painted white side sheets and walls fully lined with 3/8" plywood and .032 aluminum one piece roof sheet with galvanized anti-sag roof bows.

1/2" FRP front wall with sliding access door.

Model	72	78	84	90	96
Inside Height	72"	78"	84"	90"	96"
Door Height	65.5"	71.5"	77.5"	83.5"	89.5"

Body length	10'	12'	14'	15'
Inside length	114"	138"	162"	174"

Wall to wall interior width: 76.5" SRW, 92.5" DRW. FRP bodies, add 1" to load length and 2" to load width.



abctruck.com

LOCATIONS	Columbus, OH	Cleveland, OH	Louisville, KY	Tampa, FL	Clinton, MD	Portland, OR	LaGrange, TX	WARRANTY	PARTS	CUSTOMER SERVICE	
	Pontiac, MI	Denver, PA	Bowmansville, PA	Reading, PA	Abington, PA	Seneca, PA	Suffolk, VA	Atlanta, GA	800.872.2831	877.349.1222	800.872.4583

BUILT FOR THE LONG HAUL



Citi Van GM



Rugged & Durable

- The Citi Van offers unmatched durability and maximized performance. Its rugged, watertight construction features superior building materials assembled using consistent manufacturing methods to deliver the highest quality.
- Choose from standard aluminum wall construction or Fiberglass Reinforced Plywood (FRP) option.
- Industry leading 5-year limited warranty ensures that your Citi Van will provide a long-lasting, quality performance.



ABC Advantage	Citi Van	Competition
2" Rivet Spacing on End Panels	STANDARD	Not Available
Two Grab Handles	STANDARD	Option
Undercoated Body	STANDARD	Option
Recessed Tail Lights	STANDARD	Option
2" Roll-up Door Roller	STANDARD	Option

City Van GM

Options:

- Fiberglass Reinforced Plywood (FRP) (Plywood lining is not required on FRP bodies)
- Side cargo door with step
- Aluminum walk ramps
- Scuff plates
- Liftgates
- Insulation
- Bumpers
- Custom widths available
- Cargo control devices
- Cabovers
- 3/4" White composite floor (Single rear wheel models only)
- 1 1/8" Laminated hardwood floor
- 2 Panel full opening rear doors
- One piece translucent roof
- Low mount wheel wells

**Rugged Durability matched with Quality Components...
Citi Van meets all of your delivery needs**



Rear roll-up door with 2" door roller and two aluminum grab handles and 3/4 step bumper with recessed tail lights.

Galvanneal steel rear frame and complete body undercoating.

Body available in lengths of 10', 12', 14', 15', 16' & 17'.

3" cross-members on 16" centers and 4" I-beam longitudinal body rails.

Z-shaped side posts on 16" centers and 3/16" solid rivets on 2" centers at seams.

4" Centers at intermediate posts.

1 1/8" Dense pine floor.



5" extruded aluminum front corner post and 12" diamond plate aluminum aerodynamic radius front.

.040 Aluminum, pre-painted white side sheets and walls fully lined with 3/8" plywood and .032 aluminum one piece roof sheet with galvanized anti-sag roof bows.

1/2" FRP front wall with sliding access door.

Model	72	78	84	90	96
Inside Height	72"	78"	84"	90"	96"
Door Height	65.5"	71.5"	77.5"	83.5"	89.5"

Body length	10'	12'	14'	15'
Inside length	114"	138"	162"	174"

Wall to wall interior width: 76.5" SRW, 92.5" DRW. FRP bodies, add 1" to load length and 2" to load width.



abctruck.com

LOCATIONS	Columbus, OH	Cleveland, OH	Louisville, KY	Tampa, FL	Clinton, MD	Portland, OR	LaGrange, TX	WARRANTY	PARTS	CUSTOMER SERVICE
Pontiac, MI	Denver, PA	Bowmansville, PA	Reading, PA	Abington, PA	Seneca, PA	Suffolk, VA	Atlanta, GA	800.872.2831	877.349.1222	800.872.4583